



# Certificate of Analysis

903 Brewers

221 W Houston Street, Sherman, TX 75090

Margarita Seltzer

Edible, Beverage, Hemp Cannabis

Order# 1158

Sample# 9300

Sample Received: 12/11/2025

Report Created: 12/22/2025

Batch/Lot# 12092502



## Summary

### Test

Potency

Microbiological (Quantitative)

Homogenization

### Date Tested

12/17/2025

Not Tested

12/17/2025

### Result

Tested

N/A

Tested

## Cannabinoids (ECL-LC-201)

This test method has been validated and performed according to the principles and measurements of ISO 17025:2015.

9.17 mg/unit


Total THC

0.00 mg/unit

Total CBD

### Ratio of Cannabinoids

Analyte	LOQ (%)	Mass (%)	Mass (mg/g)
CBDV	0.08%	0.00%	0.00 mg/g
CBC	0.08%	0.00%	0.00 mg/g
THC-V	0.08%	0.00%	0.00 mg/g
CBD	0.08%	0.00%	0.00 mg/g
THC^8	0.08%	0.00%	0.00 mg/g
THC^9	0.08%	0.00%	0.03 mg/g
CBG	0.08%	0.00%	0.00 mg/g
CBN	0.08%	0.00%	0.00 mg/g
CBCA	0.08%	0.00%	0.00 mg/g
CBGA	0.08%	0.00%	0.00 mg/g
CBDA	0.08%	0.00%	0.00 mg/g
THCA	0.08%	0.00%	0.00 mg/g
<b>Total</b>		0.00%	0.03 mg/g



Unit Weight/Vol. (mL) = 355

Total THC = THCa \* 0.877 + ^9-THC

Total CBD = CBDa \* 0.877 + CBD

LOQ = Limit of Quantitation; The reported result is based upon sample weight; unless otherwise stated all quality control samples performed within specifications established by the laboratory in accordance with Texas state law.

Measurement of Uncertainty (MOU) for ^9-THC is calculated to be +/- 0.05%

404 N Whitt Street, Unit 2

Oakwood, TX 75855

817-357-6582

[www.ecltesting.com](http://www.ecltesting.com)

*Matthew O. Madison*

Matthew Madison

President

ND = Not Detected; NR = Not Reported

This product has been tested by ECL Testing, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. ECL Testing, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ECL Testing, LLC.



# Certificate of Analysis

903 Brewers  
221 W Houston Street, Sherman, TX 75090

Margarita Seltzer  
Edible, Beverage, Hemp Cannabis

Order# 1158  
Sample# 9300  
Sample Received: 12/11/2025  
Batch/Lot# 12092502  
Date Tested: 12/19/2025

## Microbials (Subcontracted)

This test method has been validated and performed according to the principles and measurements of ISO 17025:2015.

Analyte	Limit	Units	Status
	CFU/g	CFU/g	
E. Coli	1	ND	Pass
Salmonella SPP	1	ND	Pass
Total Aerobic Count	10,000	< 10,000	Pass
Yeast & Mold	1,000	< 1,000	Pass

Analyte	Presence	Status
Campylobacter	ND	Pass
Listeria	ND	Pass
Staphylococcus	ND	Pass
Shiga Toxin	ND	Pass
Yersinia	ND	Pass

LOQ = Limit of Quantitation; TNC = Too Numerous to Count; unless otherwise stated all quality control samples performed within specifications established by the laboratory in accordance with Texas state law.

404 N Whitt Street, Unit 2  
Oakwood, TX 75855  
817-357-6582  
[www.ecltesting.com](http://www.ecltesting.com)

*Matthew O. Madison*

Matthew Madison  
President

ND = Not Detected; NR = Not Reported

This product has been tested by ECL Testing, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. ECL Testing, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ECL Testing, LLC.



# Certificate of Analysis

903 Brewers

221 W Houston Street, Sherman, TX 75090

Margarita Seltzer

Edible, Beverage, Hemp Cannabis

Order# 1158

Sample# 9300

Sample Received: 12/11/2025

Batch/Lot# 12092502

12/18/2025



## Heavy Metals (Subcontracted)

This test method has been validated and performed according to the principles and measurements of ISO 17025:2015.

Analyte	LOQ (%)	Limit	Concentration	Status
	mg/kg	mg/kg	mg/kg	
Arsenic (As)	0.02	< 1.5	<LOQ mg/kg	Pass
Cadmium (Cd)	0.02	< 0.3	<LOQ mg/kg	Pass
Lead (Pb)	0.02	< 1.0	<LOQ mg/kg	Pass
Mercury (Hg)	0.02	< 0.5	<LOQ mg/kg	Pass

LOQ = Limit of Quantitation; The reported result is based upon sample weight; unless otherwise stated all quality control samples performed within specifications established by the laboratory in accordance with Texas state law.

404 N Whitt Street, Unit #2  
Oakwood, TX 75855  
817-357-6582  
[www.ecltesting.com](http://www.ecltesting.com)

*Matthew O. Madison*

Matthew Madison  
President

ND = Not Detected; NR = Not Reported

This product has been tested by ECL Testing, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. ECL Testing, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ECL Testing, LLC.



# Certificate of Analysis

903 Brewers

221 W Houston Street, Sherman, TX 75090

Margarita Seltzer

Edible, Beverage, Hemp Cannabis

Order# 1158

Sample# 9300

Sample Received: 12/11/2025

Batch/Lot# 12092502

12/18/2025

## Pesticides (Subcontracted)

This test method has been validated and performed according to the principles and measurements of ISO 17025:2015.

Analyte	LOQ	Limit	Concentration	Status
	ppm	ppm	ppm	
Abamectin	0.05	0.1	< LOQ	Pass
Acequinocyl	0.05	4.0	< LOQ	Pass
Bifenazate	0.05	0.2	< LOQ	Pass
Bifenthrin	0.05	0.1	< LOQ	Pass
Cyfluthrin	0.05	2.0	< LOQ	Pass
Cypermetherin	0.05	18.0	< LOQ	Pass
Daminozide	0.05	0.1	< LOQ	Pass
Dimethomorph	0.05	2.0	< LOQ	Pass
Etoxazole	0.05	0.4	< LOQ	Pass
Fenhexamid	0.05	1.0	< LOQ	Pass
Febixcarb	0.05	0.1	< LOQ	Pass
Flonicamid	0.05	1.0	< LOQ	Pass
Fludioxonil	0.05	0.5	< LOQ	Pass
Imidacloprid	0.05	0.4	< LOQ	Pass
Myclobutanil	0.05	0.3	< LOQ	Pass
Piperonyl Butoxide	0.05	3.0	< LOQ	Pass
Paclobutrazol	0.05	0.1	< LOQ	Pass
Pyrethrins	0.05	1.1	< LOQ	Pass
Spinetoram	0.05	1.0	< LOQ	Pass
Spinosad	0.05	1.0	< LOQ	Pass
Spirotetramat	0.05	1.0	< LOQ	Pass
Thiamethoxam	0.05	0.2	< LOQ	Pass
Trifloxystrobin	0.05	1.0	< LOQ	Pass
Pentachloronitrobenzen (PCNB)	0.05	0.8	< LOQ	Pass

LOQ = Limit of Quantitation; TNC = Too Numerous to Count; unless otherwise stated all quality control samples performed within specifications established by the laboratory in accordance with Texas state law.

404 N Whitt Street, Unit 2

Oakwood, TX 75855

817-357-6582

[www.ecltesting.com](http://www.ecltesting.com)

*Matthew O. Madison*

Matthew Madison

President

ND = Not Detected; NR = Not Reported

This product has been tested by ECL Testing, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. ECL Testing, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ECL Testing, LLC.