



# Certificate of Analysis

903 Brewers

221 W Houston Street, Sherman, TX 75090

Order# 1165

Sample# 9310

Sample Received: 12/19/2025

Report Created: 01/06/2026

Batch/Lot# 12182501

Orange Soda Seltzer

Edible, Beverage, Hemp Cannabis



## Summary

### Test

Potency

Microbiological (Quantitative)

Homogenization

### Date Tested

12/19/2025

Not Tested

12/19/2025

### Result

Tested

N/A

Tested

## Cannabinoids (ECL-LC-201)

This test method has been validated and performed according to the principles and measurements of ISO 17025:2015.

9.33 mg/unit


Total THC

0.00 mg/unit

Total CBD

### Ratio of Cannabinoids

| Analyte      | LOQ (%) | Mass (%) | Mass (mg/g) |
|--------------|---------|----------|-------------|
| CBDV         | 0.08%   | 0.00%    | 0.00 mg/g   |
| CBC          | 0.08%   | 0.00%    | 0.00 mg/g   |
| THC-V        | 0.08%   | 0.00%    | 0.00 mg/g   |
| CBD          | 0.08%   | 0.00%    | 0.00 mg/g   |
| THC^8        | 0.08%   | 0.00%    | 0.00 mg/g   |
| THC^9        | 0.08%   | 0.00%    | 0.03 mg/g   |
| CBG          | 0.08%   | 0.00%    | 0.00 mg/g   |
| CBN          | 0.08%   | 0.00%    | 0.00 mg/g   |
| CBCA         | 0.08%   | 0.00%    | 0.00 mg/g   |
| CBGA         | 0.08%   | 0.00%    | 0.00 mg/g   |
| CBDA         | 0.08%   | 0.00%    | 0.00 mg/g   |
| THCA         | 0.08%   | 0.00%    | 0.00 mg/g   |
| <b>Total</b> |         | 0.00%    | 0.03 mg/g   |



Unit Weight/Vol. (mL) = 355

Total THC = THCa \* 0.877 + ^9-THC

Total CBD = CBDa \* 0.877 + CBD

LOQ = Limit of Quantitation; The reported result is based upon sample weight; unless otherwise stated all quality control samples performed within specifications established by the laboratory in accordance with Texas state law.

Measurement of Uncertainty (MOU) for ^9-THC is calculated to be +/- 0.05%

404 N Whitt Street, Unit 2

Oakwood, TX 75855

817-357-6582

[www.ecltesting.com](http://www.ecltesting.com)

*Matthew O. Madison*

Matthew Madison

President

ND = Not Detected; NR = Not Reported

This product has been tested by ECL Testing, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. ECL Testing, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ECL Testing, LLC.



# Certificate of Analysis

903 Brewers  
221 W Houston Street, Sherman, TX 75090

Orange Soda Seltzer  
Edible, Beverage, Hemp Cannabis

Order# 1165  
Sample# 9310  
Sample Received: 12/19/2025  
Batch/Lot# 12182501  
Date Tested: 12/21/2025

## Microbials (Subcontracted)

This test method has been validated and performed according to the principles and measurements of ISO 17025:2015.

| Analyte             | Limit  | Units    | Status |
|---------------------|--------|----------|--------|
|                     | CFU/g  | CFU/g    |        |
| E. Coli             | 1      | ND       | Pass   |
| Salmonella SPP      | 1      | ND       | Pass   |
| Total Aerobic Count | 10,000 | < 10,000 | Pass   |
| Yeast & Mold        | 1,000  | < 1,000  | Pass   |

| Analyte        | Presence | Status |
|----------------|----------|--------|
| Campylobacter  | ND       | Pass   |
| Listeria       | ND       | Pass   |
| Staphylococcus | ND       | Pass   |
| Shiga Toxin    | ND       | Pass   |
| Yersinia       | ND       | Pass   |

LOQ = Limit of Quantitation; TNC = Too Numerous to Count; unless otherwise stated all quality control samples performed within specifications established by the laboratory in accordance with Texas state law.

404 N Whitt Street, Unit 2  
Oakwood, TX 75855  
817-357-6582  
[www.ecltesting.com](http://www.ecltesting.com)

*Matthew O. Madison*

Matthew Madison  
President

ND = Not Detected; NR = Not Reported

This product has been tested by ECL Testing, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. ECL Testing, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ECL Testing, LLC.



# Certificate of Analysis

903 Brewers

221 W Houston Street, Sherman, TX 75090

Orange Soda Seltzer

Edible, Beverage, Hemp Cannabis

Order# 1165

Sample# 9310

Sample Received: 12/19/2025

Batch/Lot# 12182501

12/18/2025



## Heavy Metals (Subcontracted)

This test method has been validated and performed according to the principles and measurements of ISO 17025:2015.

| Analyte      | LOQ (%) | Limit | Concentration | Status |
|--------------|---------|-------|---------------|--------|
|              | mg/kg   | mg/kg | mg/kg         |        |
| Arsenic (As) | 0.02    | < 1.5 | <LOQ mg/kg    | Pass   |
| Cadmium (Cd) | 0.02    | < 0.3 | <LOQ mg/kg    | Pass   |
| Lead (Pb)    | 0.02    | < 1.0 | <LOQ mg/kg    | Pass   |
| Mercury (Hg) | 0.02    | < 0.5 | <LOQ mg/kg    | Pass   |

LOQ = Limit of Quantitation; The reported result is based upon sample weight; unless otherwise stated all quality control samples performed within specifications established by the laboratory in accordance with Texas state law.

404 N Whitt Street, Unit #2  
Oakwood, TX 75855  
817-357-6582  
[www.ecltesting.com](http://www.ecltesting.com)

*Matthew O. Madison*

Matthew Madison  
President

ND = Not Detected; NR = Not Reported

This product has been tested by ECL Testing, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. ECL Testing, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ECL Testing, LLC.



# Certificate of Analysis

903 Brewers

221 W Houston Street, Sherman, TX 75090

Orange Soda Seltzer

Edible, Beverage, Hemp Cannabis

Order# 1165

Sample# 9310

Sample Received: 12/19/2025

Batch/Lot# 12182501

12/18/2025

## Pesticides (Subcontracted)

This test method has been validated and performed according to the principles and measurements of ISO 17025:2015.

| Analyte                       | LOQ  | Limit | Concentration | Status |
|-------------------------------|------|-------|---------------|--------|
|                               | ppm  | ppm   | ppm           |        |
| Abamectin                     | 0.05 | 0.1   | < LOQ         | Pass   |
| Acequinocyl                   | 0.05 | 4.0   | < LOQ         | Pass   |
| Bifenazate                    | 0.05 | 0.2   | < LOQ         | Pass   |
| Bifenthrin                    | 0.05 | 0.1   | < LOQ         | Pass   |
| Cyfluthrin                    | 0.05 | 2.0   | < LOQ         | Pass   |
| Cypermetherin                 | 0.05 | 18.0  | < LOQ         | Pass   |
| Daminozide                    | 0.05 | 0.1   | < LOQ         | Pass   |
| Dimethomorph                  | 0.05 | 2.0   | < LOQ         | Pass   |
| Etoxazole                     | 0.05 | 0.4   | < LOQ         | Pass   |
| Fenhexamid                    | 0.05 | 1.0   | < LOQ         | Pass   |
| Febixcarb                     | 0.05 | 0.1   | < LOQ         | Pass   |
| Flonicamid                    | 0.05 | 1.0   | < LOQ         | Pass   |
| Fludioxonil                   | 0.05 | 0.5   | < LOQ         | Pass   |
| Imidacloprid                  | 0.05 | 0.4   | < LOQ         | Pass   |
| Myclobutanil                  | 0.05 | 0.3   | < LOQ         | Pass   |
| Piperonyl Butoxide            | 0.05 | 3.0   | < LOQ         | Pass   |
| Paclobutrazol                 | 0.05 | 0.1   | < LOQ         | Pass   |
| Pyrethrins                    | 0.05 | 1.1   | < LOQ         | Pass   |
| Spinetoram                    | 0.05 | 1.0   | < LOQ         | Pass   |
| Spinosad                      | 0.05 | 1.0   | < LOQ         | Pass   |
| Spirotetramat                 | 0.05 | 1.0   | < LOQ         | Pass   |
| Thiamethoxam                  | 0.05 | 0.2   | < LOQ         | Pass   |
| Trifloxystrobin               | 0.05 | 1.0   | < LOQ         | Pass   |
| Pentachloronitrobenzen (PCNB) | 0.05 | 0.8   | < LOQ         | Pass   |

LOQ = Limit of Quantitation; TNC = Too Numerous to Count; unless otherwise stated all quality control samples performed within specifications established by the laboratory in accordance with Texas state law.

404 N Whitt Street, Unit 2

Oakwood, TX 75855

817-357-6582

[www.ecltesting.com](http://www.ecltesting.com)

*Matthew O. Madison*

Matthew Madison

President

ND = Not Detected; NR = Not Reported

This product has been tested by ECL Testing, LLC using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. ECL Testing, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ECL Testing, LLC.